
OHITDENTIAL

AD 333365 L

Reproduced by the

ED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA





CONFIDENTIAL

(C)

U. S. NAVAL AIR DEVELOPMENT CENTER

JOHNSVILLE, PENNSYLVANIA

Anti-Submarine Warfare Laboratory

REPORT NO. NADC-AW-6223

1 OCT 1962

VOLUME I
ATLAS OF INFRARED SEA BACKGROUND PATTERNS (U)
25 MARCH 1959 TO 28 MARCH 1962

PHASE REPORT
WEPTASK NO. RUDCLBOOO/2021/F001-99-02
Problem No. 204

U. S. MILITARY AGENCIES MAY OBTAIN COPIES OF THIS REPORT DIRECT FROM ASTIA. OTHER QUALIFIED ASTIA USERS SHOULD REQUEST THROUGH THE CHIEF, BUREAU OF NAVAL WEAPONS, WASHINGTON 25, D. C.

333 365 [





PLATE NO. 11570 4ND-NAMC-5213/4

CONFIDENTIAL

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U.S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

weeks the first the water of the property of

The control of the co

NOTICE

Reproduction of this document in any form by other than naval activities is not authorized except by special approval of the Secretary of the Navy or the Chief of Naval Operations as appropriate.

The following Espionage notice can be disregarded unless this document is plainly marked CONFIDENTIAL or SECRET.

This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C., Sections 793 and 794. The transmission or the revelation of its contents in any manner to an unouthorized person is prohibited by law.

PLATE NO. 10715

VOLUME I ATLAS CF INFRARED SEA BACKGROUND PATTERNS (U) 25 MARCH 1959 TO 28 MARCH 1962

PHASE REPORT WEFTASK NO. RUDCLB000/2021/F001-99-02 Problem No. 204

- (a) BUAER CONF ltr Aer-AV-433 ser 001532 of 20 Sep 1956
 (b) CONF Report No. NADC-AW-N5916, "Technical Note, Submarine Wake Detection Program, of 5 Jun 1959
- (c) CONF Report No. NADC-AW-N5917, "Technical Note, Infrared Wake Detection," (C), of 8 Oct 1959
- (d) CONF Report No. NADC-AW-L5932, "Phase Report, Submarine Wake Detection Flight Trials of the AN/AAR-9(XA-2)," (C), of 23 Feb
- (e) SECRET Report No. NADC-Aw-L6005, "Phase Report, Submarine Wake Detection Flight Trials of the Reconofax Camera," (C), of 30 Mar 1960
- (f) CONF Report No. NADC-AW-6218, "Flight Trials of the Infrared Antisubmarine Warfare Bomb Director Sight Unit," (C), (in printing)
- (g) CONF Report No. NADC-AW-6233, "Submarine Wake Detection Flight Trials of the AN/AAR-13(XH-1)," (C), (in printing)
- (h) WEPTASK No. RUDCLB000/2021/F001-05-002, Problem Assignment No. 204 of 7 Sep 1961
- (i) NAVAIRDEVCEN AW-411 SECRET/CONF Biweekly Progress Reports with encls for 16 Sep 1960 to 30 Apr 1961
- (j) NAVAIRDEVCEN AW-411 SECRET/CONF Monthly Progress Reports for May 1961 to Jun 1962
- (k) SECRET Report No. NADC-AW-N6207, "Technical Note, Airborne Infrared Oceanographic Mapping," (U), of 3 May 1962
 (1) SECRET Report No. NADC-AW-N6208, "Technical Note, NAVAIRDEVCEN Airborne Infrared Developments, " (U), of 8 Jun 1962

INTRODUCTION

Reference (a) requested the U. S. Naval Air Development Center (NAVAIR-DEVCEN) develop techniques for detecting wakes of submerged submarines by use of small, lightweight, infrared equipments designed for installation in heavier-than-air craft. Reference (b) enumerates and classifies wake phenomena from a theoretical point of view. Reference (c) outlines the NAVAIRDEVCEN experimental infrared wake detection program and gives preliminary results.

As part of the experimental program, six thermal mapping devices were investigated. Final results of investigations of the AN/AAS-4(XA-2), the

CONTIDENT

AN/AAR-9(XA-2), the Reconofax Camera, the Infrared Antisubmarine Warfare Bomb Director Sight Unit, and the AN/AAR-13(XH-1) are given in references (c), (d), (e), (f), and (g).

Reference (h) superseded reference (a) and requested the NAVAIRDEVCEN conduct studies, establish equipment characteristics, procure equipment, and perform technical and flight evaluations of modified line-scan passive infrared surveillance systems for submerged submarine wake detection. References (i) and (j) outline the current program and give preliminary results obtained with the unmodified and modified AN/AAD-2 infrared detecting sets.

References (k) and (1), which include infrared pictures recorded by the AN/AAR-9, the Reconofax Camera, and the AN/AAD-2, propose a variety of maritime applications for infrared devices. Reference (1) describes the AN/AAD-2 and some of the modifications to which it has been subjected.

Figure 1 illustrates schematically the operation of the AN/AAD-2, which recorded the majority of pictures in this atlas.

The atlas describes pictorially the ocean surface as recorded by several infrared mapping devices using a variety of infrared detecting elements during the three-year period beginning 25 March 1959. These pictures were recorded under a variety of conditions of haze, cloud cover, air and water temperatures, water depths, aircraft altitudes, latitudes, longitudes, times, and seasons.

All the pictures recorded by the AN/AAD-2 installed in the NAVAIR-DEVCEN P2V-5F aircraft, BuNo 131403, and reproduced in this atlas are "mirror image" prints. The two parallel dark lines running longitudinally on the pictures recorded by the AN/AAD-2 are to be ignored; these lines are caused by crimping of the recording film in the compact AN/AAD-2 film magazine. Dark portions of the thermal pictures in this atlas correspond to effectively cooler areas; light portions represent effectively warmer areas.

The title arrangement for each thermal picture in the atlas is as follows: Figure Number - ... Title ... (Time; Aircraft Altitude; Latitude; Longitude; Dimensions of Area Shown; Water Depth in Area Shown). A complete index of the figures is given in the back of the report.

Reported by:

r. M. Moser and Special Methods Diviston

Approved by:

Superintendent Special Methods Division

Technical Director

Pg 4 blank

- 3 -

CONFIDENTIAL

NADC-AW-6223

- li -

CONFIDENT TAIL




FIGURE 1 - Schematic of AN/AAD-2 Operation

(b)(1) per E.O. 13526 Section 3.3(b)(4)

This thermal picture was recorded by the Reconofax Camera installed in HRB-Singer, Inc., Cessna 310-B aircraft

Date: 20 May 1959

Phase of Moon: full on 22 May Detector: 3.2 mm (circular) p-type Ge:Au

(Syracuse University)

NOTE: Compare thermal picture with portion of U. S. Coast and Geodetic Survey Chart 12/6 reproduced below:

(Soundings are in feet)





FIGURE 3 - Shoal Water in the Vicinity of Waretown, New Jersey (2200 R; 5000 ft; 39°47'N; 71°10'W; 4 by 4.5 nmi; 0-1.5 fathoms)

This thermal picture was recorded by the AN/AAD-2 installed in the HRB-Singer, Inc, Gessna 310-B aircraft Date: 14 February 1961

Sunset: 1736 R; Moonset: 1700 R Air Temperature (1500 ft): 0°C

Cloud Cover: no clouds

Visibility: hazy Detector: 3 mm (circular) p-type Ge:Au

(Syracuse University)



FIGURE 4 - Surfaced Submarine, Wake, and Natural Sea Surface Patterns (1900 R; 1300 ft; 39°52'N; 71°29'W; 0.8 by 1.8 nmi; 193-465 fathoms)

This thermal picture was recorded by the AN/AAD-2This thermal picture was recorded by the AN/AAD-2 installed in the HRB-Singer, Inc, Gessna 310-B aircraft Date: 27 February 1961
Sunset: 1750 R; Moonrise: 1459 R
Air Temperature (1600 ft): 10°C
Cloud Cover: no clouds
Visibility: hazy
Detector: 3 mm² (circular) p-type Ge:Au (Syracuse University)



FIGURE 5 - Shoreline and Natural Sea Surface Patterns (1730 R; 1600 ft; 40°17'N; 74°02'W; 0.9 by 2.6 nmi; 0-8 fathoms)

This thermal picture was recorded by the AN/AAR-13(XH-1) installed in the NAVAIRDEVCEN P2V-5F aircraft BuNo 131403 Date: 27 February 1961

Detectors: 60 thermistor bolometers

NOTE: Compare this picture with figure 5 of the same area recorded at the same time by the AN/AAD-2.



FIGURE 6 - Shoreline and Natural Sea Surface Patterns (1730 R; 1800 ft; 40°17'N; 74°02'W; 0.5 by 2.6 nmi; 0-8 fathoms)

) 14 (1) 16 (1)

NADC-AW-6223

This thermal picture was recorded by the AN/AAD-2 installed in the HRB-Singer, Inc Cessna 310-B aircraft Date: 3 April 1961
Sunset: 1827 R; Moonrise: 2105 R
Air Temperature (surface): 6°C

Cloud Cover: broken - bottoms at 4000 ft
Visibility: 4-6 miles (hazy)
Detector: 3 mm² (circular) p-type Ge:Au (Syracuse University)




FIGURE 7 - Overflow of water from Takanassee Lake Reservoir (2306 R; 2200 ft; 40°17'N; 74°00'W; 1.3 by 2.3 nmi; 0-8 fathoms)

This thermal picture was recorded by the AN/AAD-2 installed in the NAVAIRDEVGEN F2V-5F aircraft BuNo 131403
Date: 5 October 1961
Sunset: 1735 R; Moonset: 1545 R
Air Temperature (surface): 15°C
Cloud Cover: scattered high-altitude clouds
Visibility: 10 miles, hazy
Detector: 2.5 by 2.5 mm InSb (Philco)



FIGURE 8 - Tributaries of Shrewsbury River, Shoreline and Natural Water Surface Patterns (1754 R; 2000 ft; 40°19'N; 74°00'W; 1.2 by 3.3 nmi; 0-4 fathoms)

This thermal picture was recorded by the AN/AAD-2 installed in the NAVAIRDEVCEN P2V-5F aircraft BuNo 131403
Date: 10 October 1961

Sunset: 1730 R; Moonset: 1814 R Air Temperature (surface): 20°C

Cloud Cover: scattered high-altitude clouds

Visibility: 7-10 miles

Detector: 2.5 by 2.5 mm InSb (Philco)




FIGURE 9 - Natural Sea Surface Patterns (2216 R; 3500 ft; 40°15'N; 73°00'W; 2.0 by 6.3 nmi; 20-25 fathoms)

Date: 17 October 1961 Sunset: 1719 R; Moonset: 2348 R

Air Temperature (2500 ft): 16°C Cloud Cover: no clouds

3

Visibility: 6-8 miles
Detector: 2.5 by 2.5 mm InSb (Philco)




FIGURE 10-1 - Natural Sea Surface Patterns (1950 R; 2500 ft; 40°00'N; 72°00'W; 1.5 by 5.5 nmi; 40-75 fathoms)




FIGURE 10-2 - Blimp and Natural Sea Surface Patterns (2053 R; 2500 ft; 40°00'N; 72°00'W; 1.5 by 3.5 nmi; 40-75 fathoms)




FIGURE 10-3 - Blimp and Natural Sea Surface Patterns (2107 R; 2500 ft; 40°00'N; 72°00'W; 1.5 by 3.5 nmi; 40-75 fathoms)

Date: 8 November 1961

Sunset: 1650 R; Moonset: 1722 R Air Temperature (2500 ft): 8°C

Cloud Cover: scattered - bottoms at 2500 ft

Visibility: unlimited

Detector: 2.5 by 2.5 mm InSb (Philco)




FIGURE 11-1 - Shoreline and Natural Sea Surface Patterns (1923 R; 2100 ft; 40°17'N; 74°02'W; 1.2 by 3.5 nmi; 0-8 fathoms)




FIGURE 11-2 - Natural Sea Surface Patterns, Smoke Light in Water, and Airship (2126 R; 2500 ft; 39°55'N; 72°05'W; 1.5 by 4.5 nmi; 34-70 fathoms)





FIGURE 11-3 - Natural Sea Surface Patterns and Smoke Light in Water (2148 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms)






FIGURE 11-5 - Natural Sea Surface Patterns and Smoke Light in Water (2156 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms)




FIGURE 11-6 - Natural Sea Surface Patterns (2157 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms)




FIGURE 11-7 - Natural Sea Surface Patterns (2206 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.8 nmi; 34-70 fathoms)




FIGURE 11-8 - Ship, Wake, and Natural Sea Surface Patterns (2207 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.8 nmi; 34-70 fathoms)




FIGURE 11-9 - Natural Sea Surface Patterns (2215 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms)




FIGURE 11-10 - Natural Sea Surface Patterns (2216 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms)




FIGURE 11-11 - Natural Sea Surface Patterns (2230 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms)

FIGURE 11-J2 - Natural Sea Surface Patterns (2231 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms)




FIGURE 11-13 - Clouds (aircraft is flying in and over clouds) (2255-58 R; 3000 ft; 40°00'N; 72°10'W; 1.7 by 10 nmi)

OHITDENTE

FIGURE 11-14 - Glouds (distorted transversely due to proximity to optical system) (2301-4 R; 4500 ft; 40°05'N; 72°20'W; 2.6 by 9 nmi)




FIGURE 11-15 - Shoreline and Natural Sea Surface Patterns (2330 R; 2000 ft; LO°17'N; 74°02'W; 1.2 by 2.8 nmi; 0-8 fathoms)

This series of 3 thermal pictures was recorded by the AN/AAD-2 installed in the NAVAIRDEVCEN P2V-5F BuNo 131403

Date: 15 November 1961

Sunset: 1644 R: Moonset: 2355 R Air Temperature (surface): 12°C

Cloud Cover: no clouds Visibility: 3-7 miles, hazy

Detector: 2.5 by 2.5 mm InSb (Philee)



FIGURE 12-1 - Chesapeake Bay Bridge and Natural Water Surface Patterns (1908 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.7 nmi; 5-10 fathoms)

FIGURE 12-2 - Chesapeake Bay Bridge and Natural Water Surface Patterns (1918 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms)




FIGURE 12-3 - Natural Water Surface Patterns in Chesapeake Bay (1949 R; 1100 ft; 38°58'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms)

This series of 10 thermal pictures was recorded by the AN/AAD-2 installed in the NAVAIRDEVCEM P2V-5F BuNo 131403

Date: 21 November 1961

Sunset: 1639 R; Moonrise: 1633 R Detector: 2.5 l, 2.5 mm InSb (Philco)




FIGURE 13-1 - Shoreline and Natural Sea Surface Patterns (1820 N; 2000 ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms)

NOTE: Longitudinal compression is due to an incorrect (slow) film speed.




FIGURE 13-2 - Whitecaps and Other Natural Sea Surface Patterns (1834 R; 2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms)



FIGURE 13-3 - Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms)

FIGURE 13-4 - Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathoms)




FIGURE 13-5 - Whitecaps and Other Natural Sea Surface Patterns (1935 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathoms)

FIGURE 13-6 - Whitecaps and Other Natural Sea Surface Fatterns (1943 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 7.3 nmi; 485-1164 fathoms)




FIGURE 13-7 - Whitecaps and Other Natural Sea Surface Patterns (2004 R; 2000 ft; 39°35'N; 72°13'W; 1.2 by 8.7 nmi; 63-77 fathoms)




FIGURE 13-8 - Whitecaps and Other Natural Sea Surface Patterns (2021 R; 2000 ft; 39°56'N; 73°10'W; 1.2 by 3.1 nmi; 34-42 fathoms)




FIGURE 13-9 - Ship, Wake, and Whitecaps (2026 R; 2000 ft; 40°C4'N; 73°29'W; 1.2 by 3.5 nmi; 19-46 fathoms)




FIGURE 13-10 - Shoreline and Natural Sea Surface Patterns (2035 R; 2000 ft; 40°15'N; 74°00'W; 1.2 by 3.3 nmi; 0-15 fathoms)

This series of 10 thermal pictures was recorded by the AN/AAD-2 installed in the NAVAIRDEVCEN P2V-5F aircraft BuNo 131403 Date: 28 November 1961

Sunset: 1636 R; Moonrise: 2226 R Cloud Cover: no clouds


Detector: 2.5 by 2.5 mm InSb (Philco)




FIGURE 14-1 - Natural Sea Surface Patterns (1746 R; 2000 ft; 40°30'N; 73°45'W; 1.2 by 3.3 nmi; 11-13 fathoms)



FIGURE 14-2 - Shoreline, Breakers, Whitecaps, and Natural Sea Surface Patterns (1802 R; 2000 ft; 41°00'N; 72°55'W; 1.2 by 3.3 nmi; 0-22 fathoms)



FTGURE 14-3 - Natural Sea Surface Patterns (1810 R; 2000 ft; 41°10'N; 72°25'W; 1.2 by 3.3 nmi; 3-25 fathoms)








FIGURE 14-5 - Natural Sea Surface Patterns (1811 R; 2000 ft; 41°10'N; 72°05'W; 1.2 by 3.3 nmi; 3-54 fathoms)

FIGURE 14-6 - Natural Sea Surface Patterns (1815 R; 2000 ft; 41°10'N; 72°00'W; 1.2 by 3.3 nmi; 12-47 fathoms)




FIGURE 14-7 - Shoreline, Breakers, and Natural Sea Surface Patterns (1821 R; 2000 ft; 41°00'N; 71°55'W; 1.2 by 3.3 nmi; 0-15 fathoms)




FIGURE 14-8 - Natural Sea Surface Patterns (1825 R; 2000 ft; 40°55'N; 72°05'W; 1.2 by 3.3 nmi; 10-20 fathoms)




FIGURE 14-9 - Natural Sea Surface Patterns (1827 R; 2000 ft; 40°50'N; 72°10'W; 1.2 by 3.3 nmi; 10-20 fathoms)



FIGURE 14-10 - Whitecaps and Natural Sea Surface Patterns (1836 R; 2000 ft; 40°45'N; 72°35'W; 2 by 3.3 nmi; 10-20 fathoms)

Date: 18 January 1962

Sunset: 1702 R; Moonrise: 1521 R Air Temperature (2100 ft): 3°C

Cloud Cover: scattered - bottoms at 10,000 ft, high overcast

Detector: 2.5 by 2.5 mm InSb (Philco)

NOTE: Figure 15-1 was obtained using the circular 6.25 mm² Ge:Hg (Texas Instruments Inc)





FIGURE 15-1 - Natural Sea Surface Patterns (1858 R; 2100 ft; 39°29'N; 74°16'W; 1.2 by 3.2 nmi; 1-7 fathoms)








FIGURE 15-2 -Bay) (1955 R;










FIGURE 15-2 - Ships, Wakes, and Natural Water Surface Patterns (Delaware Bay) (1955 R; 2100 ft; 38°55'N; 75°05'W; 1.2 by 13 nmi; 5-11 fathoms)

ONFIDENTIAL



FIGURE 15-3 - Natural See Surface Patterns (2006 R; 2100 ft; 39°08'N; 74°40'W; 1.2 by 3.2 nmi; 1-7 fathoms)




FIGURE 15-4 - Natural Sea Surface Patterns (2010 R; 2100 ft; 39°16'N; 74°32'W; 1.2 by 3.2 nmi; 1-7 fathoms)

FIGURE 15-5 - Natural Sea Surface Patterns (2017 R; 2100 ft; 39°30'N; 74°16'W; 1.2 by 3.2 nmi; 1-7 fathoms)

This series of 12 thermal pictures was recorded by the AN/AAD-2 installed in the NAVALEDRYCEN P2V-5F since of BuNo 131403

Date: 15 February 1962
Sunset: 1735 R; Moonrise: 1469 R
Air Temperature (5000 ft): - 2° U
Cloud Cover: scattered - bottoms at 2500 ft.
Detector: Circular, 6.25 mm Restor



FIGURE 16-1 - Shoreline, Breakers, Whitecaps and Natural Sea Surface Patterns (1512 R: 1000 ft; 30° 35'18; 74'10'W; 0.6 by 1.9 nmi: 0.10 fathors)




FIGURE 16-2 - Whitecaps and Natural Sea Surface Patterns (1516 E: 1000 ft; 39°26'N; 74°15'W; 0.6 by 1.9 nmi: 1-10 fathoms)



FIGURE 16-3 - Whitecaps and Natural Sea Surface Patterns (1524 R; 1000 ft; 39°06'N; 74°40'W; 0.6 by 1.9 nmi; 1-10 fathoms)

FIGURE 16-4 - Ship, Wake and Natural Water Surface Patterns (Delaware Bay) (1539 R; 1500 ft; 39°02'N; 75°10'W; 0.9 by 3.3 nmi; 1-7 fathoms)





FIGURE 16-5 - Lighthouse, Wake and Natural Water Surface Patterns (Delaware Bay) (1546 R; 1800 ft; 39°14'N; 75°16'W; 1.0 by 2.0 nmi; 1-6 fathoms)



FIGNES 16-6 - Ship, Wake and Natural Water Surface Patterns (Delaware Bay) (1548 R; 1800 ft; 39°20'N; 75°20'N; 75°20'N;



FIGNE 15-7 - Ship, Wake and Natural Water Charles Calterns (Delaware Bay) (1950 R; 1800 Pt; 39°25'N; (5°30'W; 1.0 by 3.3 mmi; 1-5 fathome)




FIGURE 16-8 - Natural Water Surface Patterns (Delaware Bay) (1553 R; 2000 ft; 39°25'N; 75°30'W; 1.2 by 2.5 rmi; 1-5 fathoms)




FIGURE 16-9 - Natural Water Surface Patterns (Delaware Bay) (1607 R; 5000 ft; 39°15'N;75°20'W; 3.0 by 3.5 rmi; 1-10 fathoms)




FIGURE 16-10 - Natural Water Surface Patterns (Delaware Bay) (1609 B; 5000 ft; 39°10'N; 75°15'W; 3.0 by 8.0 nmi; 1-8 fathoms)




FIGURE 16-11 - Ship, Wake, Channel Buoy and Natural Water Surface Patterns (Delaware Bay) (1714 R; 5000 ft; 39°18'N; 75°21'W; 3.0 by 8.0 nmi; 10-23 fathoms)




FIGURE 16-12 - Shoreline, Ships, Wakes and Natural Water Surface Patterns (Delaware Bay) (1715 R; 5000 ft; 39°21'N; 75°22'W; 3.0 by 8.0 nmi: 0-7 fathoms)

This series of 10 thermal pictures was recorded by the AN/AAD-2 installed in NAVAIRDEVCEN P2V-5F aircraft BuNo 131403

Date: 20 February 1962

* Sunset: 1741 R; Moonrise: 1847 R

Cloud Cover: scattered Visibility: 15-20 miles

Detector: Circular, 6.25 mm² Ge:Cu (Haytheon)
NOTE: Figure 17-5 was obtained using the 2.5 by 2.5 mm PbSe (Santa Barbara Research Center)




FIGURE 17-1 - Natural Sea Surface Patterns (1446 R; 2000 ft; 30°30'N; 74°15'W; 1.2 by 1.2 umi; 1-10 fathoms)




FIGURE 17-2 - Natural Water Surface Patterns (mouth of Delaware Bay) (1510 R; 2000 ft; 38°50'N; 75°05'W; 1.2 by 3.2 nmi; 2-25 fathoms)




FIGURE 17-3 - Natural Water Surface Patterns (Delaware Bay) (1517 R; 2000 ft; 39°05'N; 75°16'W; 1.2 by 1.1 nmi; 1-10 fathoms)



FIGURE 17-4 - Natural Water Surface Patterns (Delaware Bay) (1523 R; 2000 ft; 39°20'N; 75°22'W; 1.2 by 2.6 nmi; 0-3 fathoms)



FIGURE 17-5 - Natural Water Surface Patterns (crossing Liston Range of Delaware Bay Main Channel) (1600 R; 2000 ft; 39°15'N; 75°19'W; 1.2 by 2.9 nmi; 1-8 fathoms)




FIGURE 17-6 - Natural Sea Surface Patterns (1625 R; 1500 ft; 38°54'N; 74°50'W; 0.9 by 2.4 nmi; 1-7 fathoms)



FIGURE 17-7 - Natural Sea Surface Patterns (1628 N; 1500 ft; 39°00'N; 74°45'W; 0.9 by 2.3 nmi; 1-10 fathoms)



FIGURE 17-8 - Natural Sea Surface Patterns (1636 R; 1500 ft; 39°17'N; 74°30'W; 0.9 by 1.7 nmi; 1-10 fathoms)




FIGURE 17-9 - Natural Sea Surface Patterns (1640 R; 1500 ft; 39°27'N; 74°18'W; 0.9 by 2.2 nmi;



HIGURE 17-10 - Natural Sea Surface Patterns (16μ8 R; 1500 ft; 39°μ5'N; 7μ°05'W; 0.9 by 2.3 nmi; 1-10 fathoms)

This thermal picture was recorded by the AN/AAD-2 installed in the NAVAIRDEVCEN P2V-5F aircraft BuNo 131403 Date: 8 March 1962

Sunset: 1759; Moonset: 2048 Air Temperature (1500 ft): 1°C

Cloud Cover: scattered to broken - bottoms at 2500 ft

Visibility: 10-15 miles, hazy

Detector: 2.5 by 2.5 mm PbSe (Santa Barbara Research Center)




FIGURE 18 - Natural Sea Surface Patterns (1839 R; 1500 ft; 40°10'N; 71°58'W; 0.9 by 4.4 nmi;

This series of 2 thermal pictures was recorded by the AN/AAD-2 installed in NAVAIRDEVCEN P2V-5F aircraft BuNo 131403 Date: 14 March 1962
Sunset: 1508 R; Moonrise: 1310 R
Air Temperature (4500 ft): 22°C
Gloud Cover: scattered - bottoms at 2500 ft
Detector: Circular, 6.25 mm² Det Gu (Raytheon)



FIGURE 19-1 - Two Ship Wakes and Natural Sea Surface Patterns (1830 R; 4500 ft; 24°32'N; 83°02'W; 2.6 by 6 nmi; 13-22 fathoms)



FIGURE 19-2 - Natural Sea Suiface Patterns (2320 B; 2500 ft; 24°34'N; 81°50'W; 1.5 by 3.8 nmi; 0-6 fathoms)

This series of 9 thermal pictures was recorded by the AN/AAD-2 installed in NAVAIRDEVCEN P2V-5F sircraft BuNo 131403

Date: 15 March 1962

Sumset: 1809 E; Moonrise: 1400 E Air Temperature (surface): 25°0

Cloud Cover: scattered

Detector: Circular, 6.25 mm Ge:Cu (Raytheon)




FIGURE 20-1 - Natural Sea Surface Patterns (1830 R; 4500 ft: 24°40'N; 82°45'W; 2.6 by 6.6 nmi; 0-15 fathoms)



FIGURE 20-2 - Loggerhead Key and Natural Sea Surface Patterns (1833 R; 4500 ft; 24°38'N: 82°56'W; 2.6 by 6.6 nmi; 0-11 fathoms)



FIGURE 20-3 - Ship Wakes and Natural Sea Surface Fatterns (1836 R; 4500 ft; 24°32'N; 83°02'W; 2.6 by 6.6 nmi; 13-21 fathoms)


FIGURE 20-4 - Natural Sea Surface Patterns (2155 R; 1600 ft; 24°00'K; 63°00'W; 0.9 by 1.0 nmi; 500-600 fathoms)



FIGURE 20-5 - Ship Wake and Natural Sea Surface Patterns (2202 R; 1900 ft; 24°10'N; 82°40'W; 1.1 by 3.1 nmi; 300-400 fathoms)

NADC-AW O

FIGURE 20-7 - Natural Sea Surface Fatterns (2206 R; 1900 ft; 24,15'N; 82,29'N; 1.1 by 3.0 nmi; 200-300 fathoms)



FIGHE 26-8 - Katoral See Surfece Peuterns (2207 8) 300 It. 26-15-6; 52-27-8; 2.1 by 3.2 and; 200-300 Estatons)



FIGURE 20-9 - Boca Grande Key, Woman Key, and Matural Sea Surface Patterns (2222 R; 1900 ft; 24-32'N; 82-00'W; 1.1 by 3.2 nmi; 0-4 fathoms)

This series of 12 thermal pictures was recorded by the AN/AAD-2 installed in NAVAIRDEVCEN P2V-5F aircraft BuNo 131403

Date: 28 March 1962

Sunset: 1820 R; Moonrise: 0124 R (29 Mar)
Air Temperature (2000 ft): 11°C

Cloud Cover: none

Visibility: 15-20 miles
Detector: Circular, 6.25 mm² Ge:Cu (Raytheon)



FIGURE 21-1 - Possible Ship Wakes and Natural Sea Surface Patterns (1921 R; 2500 ft; 40°19'N; 73°50'W; 1.5 by 4.0 nmi; 10-30 fathoms)

FIGURE 21-2 - Natural Sea Surface Patterns (2116 R; 2700 ft; 40°29'N; 71°58'W; 1.6 by 4.0 nmi; 35 fathoms)




FIGURE 21-3 - Natural Sea Surface Patterns (2128 R; 2600 ft; 40°28'N; 71°58'W; 1.5 by 4.0 nmi; 35 fathoms)




FIGURE 21-4 - Natural Sea Surface Patterns (2207 R; 1800 ft; 40°28'N; 71°58'W; 1.1 by 2.8 nmi; 35 fathoms)



FIGURE 21-5 - Natural Sea Surface Patterns (2253 R; 1600 ft; 40°22'N; 71°57'W; 1.0 ty 2.8 nmi; 35 fathoms)



FIGURE 21-6 - Natural Sea Sanface Putterns (235) 8; 2800 ft; LC 20'N; 72'00'W; 1.6 by L.O nmi; 35 fathoms)



FIGURE 21-7 - Natural Sea Surface Patterns (2402 2; 2800 fc; 40°26'N; 73°46'W; 1.6 by 4.0 nmi; 15-20 fathoms)

MIGURE 21-8 - Matural Sea Surface Patterns (2404 B; 2006 ft; 1.6 by 4.5 mid)




FIGURE 21-9 - Natural Sea Surface Patterns (2412 R; 2800 ft; 1.6 by 4.2 mmi)






FIGURE 21-11 - Natural Sea Surface Patterns (2423 R; 2800 Et; 40°13'N; 73°54'W; 1.6 by 4.4 nmi; 10-15 fathoms)



FIGURE 21-12 - Shoreline and Matural Sea Surface Patterns (2425 R; 2800 ft: 40°13 N; 74°60 M;

INDEX OF FIGURES

I G	URE	T i t 1 e
1		Schematic of AN/AAD-2 Operation
2	.*	(b)(1) per E.O. 13526 Section 3.3(b)(4)
		where $x \in \mathbb{R}^{n}$, $x \in \mathbb{R}^{n}$, $x \in \mathbb{R}^{n}$, $x \in \mathbb{R}^{n}$, $x \in \mathbb{R}^{n}$
3	× .	Shoal Water in the Vicinity of Waretown, New Jersey (2200 R; 5000 ft; 39°47'N;74°10'W; 4 by 4.5 nmi; 0-1.5 fathoms) (Reconofax Camera)
4	*	Surfaced Submarine, Wake, and Natural Sea Surface Patterns (1900 R; 1300 ft; 39°52'N; 71°29'W; 0.8 by 1.8 nmi; 193-465 fathoms) (AN/AAD-2)
5		Shoreline and Natural Sea Surface Patterns (1730 R; 1600 ft; 40°17'N; 74°02'W; 0.9 by 2.6 nmi; 0-8 fathoms) (AN/AAD-2)
6		Shoreline and Natural Sea Surface Patterns (1730 R; 1800 ft; 40°17'N; 74°02'W; 0.5 by 2.6 nmi; 0-8 fathoms) (AN/AAR-13(XH-1))
7		Overflow of Water from Takanassee Lake Reservoir (2306 R; 2200 ft; 40°17'N; 74°00'W; 1.3 by 2.3 nmi; 0-8 fathoms) (AN/AAD-2)
. 8		Tributaries of Shrewsbury River, Shoreline and Natural Water Surface Patterns (1754 R; 2000 ft; 40°19'N; 74°00'W; 1.2 by 3.3 nmi; 0-4 fathoms) (AN/AAD-2)
9		Natural Sea Surface Patterns (2216 R; 3500 ft; 40°15'N; 73°00'W; 2.0 by 6.3 nmi; 20-25 fathoms) (AN/AAD-2)
10	-1	Natural Sea Surface Patterns (1950 R; 2500 ft; 40°00'N; 72°00'W; 1.5 by 5.5 nmi; 40-75 fathoms) (AN/AAD-2)
10-	-2	Blimp and Natural Sea Surface Patterns (2053R; 2500 ft; 40°00'N; 72°00'W; 1.5 by 3.5 nmi; 40-75 fathoms) (AN/AAD-2)
10	-3	Blimp and Natural Sea Surface Patterns (2107 R; 2500 ft; 40°00'N; 72°00'W; 1.5 by 3.5 nmi; 40-75 fathoms) (AN/AAD-2)

NADC-AW-6223

CONFIDENCIAL

Figure	Title
11-1	Shoreline and Natural Sea Surface Patterns (1923 R; 2100 ft; 40°17'N; 74°02'W; 1.2 by 3.5 nmi; 0-8 fathoms) [AN/AAD-2]
11-2	Natural Sea Surface Patterns, Smoke Light in Water, and Airship (2126 R; 2500 ft; 39°55'N; 72°05'W; 1.5 by 4.5 nmi; 34-70 fathoms) (AN/AAD-2)
11-3	Natural Sea Surface Patterns and Smoke Light in Water (2118 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms) (AN/AAD-2)
11-4	Natural Sea Surface Patterns (2149 R; 1000 ft; 39°55'N; 72°05'W; C.6 by 1.7 nmi; 34-70 fathoms) (AN/AAD-2)
11-5	Natural Sea Surface Patterns and Smoke Light in Water (2156 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms) (AN/AAD-2)
11-6	Natural Sea Surface Patterns (2157 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms) (AN/AAD-2)
11-7	Natural Sea Surface Patterns (2206 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.8 nmi; 34-70 fathoms) (AN/AAD-2)
11-8	Ship. Wake, and Natural Sea Surface Patterns (2207 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.8 nmi; 34-70 fathoms) (AN/AAD-2)
11-9	Natural Sea Surface Patterns (2215 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms) (AN/AAD-2)
11-10	Natural Sea Surface Patterns (2216 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms) (AN/AAD-2)
11-11	Natural Sea Surface Patterns (2230 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms) (AN/AAD-2)
11-12	Natural Sea Surface Patterns (2231 R; 1000 ft; 39°55'N; 72°05'W; 0.6 by 1.7 nmi; 34-70 fathoms) (AN/AAD-2)
11-13	Clouds (aircraft is flying in and over clouds) (2255-58 R; 3000 ft; 40°00'N; 72°10'W; 1.7 by 10 nmi) (AN/AAD-2)

system) (200 ft; 40°05'N; 72°20°W; 2.6 by 9 nmi) (AN/AAD-2) 11-15 Shoreline and Natural Sea Surface Patterns (2330 R; 2000 ft; 40°17'N; 74°02'W; 1.2 by 2.8 nmi; 0-8 fathoms) (AN/AAD-2) 12-1 Chesapeake Bay Bridge and Natural Water Surface Patterns (1908 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.7 nmi; 5-10 fathoms) (AN/AAD-2) 12-2 Chesapeake Bay Bridge and Natural Water Surface Patterns (1918 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 12-3 Natural Water Surface Patterns in Chesapeake Bay (1949 R; 1100 ft; 38°58'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 13-1 Shoreline and Natural Sea Surface Patterns (1820 R; 2000 ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms) (AN/AAD-2) 13-2 Whitecaps and Other Natural Sea Surface Patterns (1834 R; 2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms) (AN/AAD-2) 13-3 Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) 13-4 Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2)		
system) (200 ft; 40°05'N; 72°20°W; 2.6 by 9 nmi) (AN/AAD-2) 11-15 Shoreline and Natural Sea Surface Patterns (2330 R; 2000 ft; 40°17'N; 74°02'W; 1.2 by 2.8 nmi; 0-8 fathoms) (AN/AAD-2) 12-1 Chesapeake Bay Bridge and Natural Water Surface Patterns (1908 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.7 nmi; 5-10 fathoms) (AN/AAD-2) 12-2 Chesapeake Bay Bridge and Natural Water Surface Patterns (1918 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 12-3 Natural Water Surface Patterns in Chesapeake Bay (1949 R; 1100 ft; 38°58'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 13-1 Shoreline and Natural Sea Surface Patterns (1820 R; 2000 ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms) (AN/AAD-2) 13-2 Whitecaps and Other Natural Sea Surface Patterns (1834 R; 2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms) (AN/AAD-2) 13-3 Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) 13-4 Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2)	Figure	Title
ft; \$\langle 0^17'N; 7\langle 02'W; 1.2 by 2.8 nmi; 0-8 fathoms) (AN/AAD-2) 12-1 Chesapeake Bay Bridge and Natural Water Surface Patterns (1908 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.7 nmi; 5-10 fathoms) (AN/AAD-2) 12-2 Chesapeake Bay Bridge and Natural Water Surface Patterns (1918 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 12-3 Natural Water Surface Patterns in Chesapeake Bay (1949 R; 1100 ft; 38°58'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 13-1 Shoreline and Natural Sea Surface Patterns (1820 R; 2000 ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms) (AN/AAD-2) 13-2 Whitecaps and Other Natural Sea Surface Patterns (1834 R; 2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms) (AN/AAD-2) 13-3 Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) 13-4 Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1935 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2)	11-14	Clouds (distorted transversely due to proximity to optical system) (ZEX-4R; 4500 ft; 40°05'N; 72°20°W; 2.6 by 9 nmi) (AN/AAD-2)
(1908 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.7 nmi; 5-10 fathoms) (AN/AAD-2) 12-2 Chesapeake Bay Bridge and Natural Water Surface Patterns (1918 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 12-3 Natural Water Surface Patterns in Chesapeake Bay (1949 R; 1100 ft; 38°58'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 13-1 Shoreline and Natural Sea Surface Patterns (1820 R; 2000 ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms) (AN/AAD-2) 13-2 Whitecaps and Other Natural Sea Surface Patterns (1834 R; 2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms) (AN/AAD-2) 13-3 Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°14'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) 13-4 Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1935 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2)	11-15	ft; 40°17'N; 74°02'W; 1.2 by 2.8 nmi; 0-8 fathoms)
(1918 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 12-3 Natural Water Surface Patterns in Chesapeake Bay (1949 R; 1100 ft; 38°58'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 13-1 Shoreline and Natural Sea Surface Patterns (1820 R; 2000 ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms) (AN/AAD-2) 13-2 Whitecaps and Other Natural Sea Surface Patterns (1834 R; 2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms) (AN/AAD-2) 13-3 Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) 13-4 Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1935 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1935 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2)	12-1	(1908 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.7 nmi; 5-10
1100 ft; 38°58'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms) (AN/AAD-2) 13-1 Shoreline and Natural Sea Surface Patterns (1820 R; 2000 ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms) (AN/AAD-2) 13-2 Whitecaps and Other Natural Sea Surface Patterns (1834 R; 2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms) (AN/AAD-2) 13-3 Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) 13-4 Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) 13-5 Whitecaps and Other Natural Sea Surface Patterns (1935 R;	12-2	(1918 R; 1000 ft; 38°59'N; 76°23'W; 0.6 by 1.8 nmi; 5-10
ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms) (AN/AAD-2) 13-2 Whitecaps and Other Natural Sea Surface Patterns (1834 R; 2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms) (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1935 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2)	12-3	1100 ft; 38°58'N; 76°23'W; 0.6 by 1.8 nmi; 5-10 fathoms)
2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms) (AN/AAD-2) 13-3 Whitecaps and Other Natural Sea Surface Patterns (1846 R; 2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1935 R; 13-5)	13-1	ft; 40°15'N; 74°00'W; 1.2 by 9.9 nmi; 0-15 fathoms)
2000 ft; 39° lli'N; 72° 37'W; 1.2 by 9.9 nmi; 28-42 fathoms) (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1931 R; 2000 ft; 39° 20'N; 71° 55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) Whitecaps and Other Natural Sea Surface Patterns (1935 R;	13-2	2000 ft; 39°58'N; 73°15'W; 1.2 by 9.9 nmi; 26-42 fathoms)
2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2) 13-5 Whitecaps and Other Natural Sea Surface Patterns (1935 R;	13-3	2000 ft; 39°44'N; 72°37'W; 1.2 by 9.9 nmi; 28-42 fathoms)
13-5 Whitecaps and Other Natural Sea Surface Patterns (1935 R;	13-4	2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathoms)
2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathor (AN/AAD-2)	13-5	2000 ft; 39°20'N; 71°55'W; 1.2 by 8.7 nmi; 485-1164 fathoms)
13-6 Whitecaps and Other Natural Sea Surface Patterns (1943 R; 2000 ft; 39°20'N; 71°55'W; 1.2 by 7.3 nmi; 485-1164 fathor (AN/AAD-2)	13-6	2000 ft; 39°20'N; 71°55'W; 1.2 by 7.3 nmi; 485-1164 fathoms)

CONPIDENTIAL

Figure	T i t l e
13-7	Whitecaps and Other Natural Sea Surface Patterns (2004 R; 2000 ft; 39°35'N; 72°13'W; 1.2 by 8.7 nmi; 63-77 fathoms) (AN/AAD-2)
13-8	Whitecaps and Other Natural Sea Surface Patterns (2021 R; 2000 ft; 39°56'N; 73°10'W; 1.2 by 3.1 nmi; 34-42 fathoms) (AN/AAD-2)
13-9	Ship, Wake, and Whitecaps (2026 R; 2000 ft; 40°04'N; 73°29'W; 1.2 by 3.5 nmi; 19-46 fathoms) (AN/AAD-2)
13-10	Shoreline and Natural Sea Surface Patterns (2035 R; 2000 ft; 40°15'N; 74°00'W; 1.2 by 3.3 nmi; 0-15 fathoms) (AN/AAD-2)
14-1	Natural Sea Surface Patterns (1746 R; 2000 ft; 40°30'N; 73°45'W; 1.2 by 3.3 nmi; 11-13 fathoms) (AN/AAD-2)
14-2	Shoreline, Breakers, Whitecaps, and Natural Sea Surface Patterns (1802 R; 2000 ft; 41°00'N; 72°55'W; 1.2 by 3.3 nmi; 0-22 fathoms) (AN/AAD-2)
14-3	Natural Sea Surface Patterns (1810 R; 2000 ft; 41°10'N; 72°25'W; 1.2 by 3.3 nmi; 3-25 fathoms) (AN/AAD-2)
14-4	Natural Sea Surface Patterns (1812 R; 2000 ft; 41°10'N; 72°15'W; 1.2 by 3.3 nmi; 18-26 fathoms) (AN/AAD-2)
» 14-5	Natural Sea Surface Patterns (1814 R; 2000 ft; 41°10'N; 72°05°W; 1.2 by 3.3 nmi; 3-54 fathoms) (AN/AAD-2)
14-6	Natural Sea Surface Patterns (1815 R; 2000 ft; 41°10'N; 72°00'W; 1.2 by 3.3 nmi; 12-47 fathoms) (AN/AAD-2)
14-7	Shoreline, Breakers, and Natural Sea Surface Patterns (1821 R; 2000 ft; 41°00'N; 71°55'W; 1.2 by 3.3 nm1; 0-15 fathoms) (AN/AAD-2)
14-8	Natural Sea Surface Patterns (1825 R; 2000 ft; 40°55'N; 72°05'W; 1.2 by 3.3 nmi; 10-20 fathoms) (AN/AAD-2)
14-9	Natural Sea Surface Patterns (1827 R; 2000 ft; 40°50'N; 72°10'W; 1.2 by 3.3 nmi; 10-20 fathoms) (AN/AAD-2)

Figure	?itle
14-10	Whitecaps and Natural Sea Surface Patterns (1836 R; 2000 ft; 40°45'N; 72°35'W; 1.2 by 3.3 nmi; 10-20 fathoms) (AN/AAD-2)
15-1	Natural Sea Surface Patterns (1858 R; 2100 ft; 39°29'N; 74°16'W; 1.2 by 3.2 nmi; 1-7 fathoms) (AN/AAD-2)
15-2	Ships, Wakes, and Natural Water Surface Patterns (Delawar Bay) (1955 R; 2100 ft; 38°55'N; 75°05'W; 1.2 by 13 nmi; 5-11 fathoms) (AN/AAD-2)
15-3	Natural Sea Surface Patterns (2006 R; 2100 ft; 39°08'N; 74°40'W; 1.2 by 3.2 nmi; 1-7 fathoms) (AN/AAD-2)
15-4	Natural Sea Surface Patterns (2010 R; 2100 ft; 39°16'N; 74°32'W; 1.2 by 3.2 nmi; 1-7 fathoms) (AN/AAD-2)
15-5	Natural Sea Surface Patterns (2017 R; 2100 ft; 39°30'N; 74°16'W; 1.2 by 3.2 nmi; 1-7 fathoms) (AN/AAD-2)
16-1	Shoreline, Breakers, Whitecaps and Natural Sea Surface Patterns (1512 R; 1000 ft; 39°35'N; 74°10'W; 0.6 by 1.9 nmi; 0-10 fathoms) (AN/AAD-2)
16-2	Whitecaps and Natural Sea Surface Patterns (1516 R; 1000 ft; 39°26'N; 74°15'W; 0.6 by 1.9 nmi; 1-10 fathoms) (AN/AAD-2)
16-3	Whitecaps and Natural Sea Surface Patterns (1524 R; 1000 ft; 39°06'N; 74°40'W; 0.6 by 1.9 nmi; 1-10 fathoms) (AN/AAD-2)
16-4	Ship, Wake and Natural Water Surface Patterns (Delaware Bay) (1539 R; 1500 ft; 39°02'N; 75°10'W; 0.9 by 3.3 nmi; 1-7 fathoms) (AN/AAD-2)
16-5	Lighthouse, Wake and Natural Water Surface Patterns (Delaware Bay) (1546 R; 1800 ft; 39°14'N; 75°16'W; 1.0 by 2.0 nmi; 1-6 fathoms) (AN/AAD-2)
16-6	Ship, Wake and Natural Water Surface Patterns (Delaware Bay) (1548 R; 1800 ft; 39°20'N; 75°20'W; 1.0 by 3.3 nmi; 1-10 fathoms) (AN/AAD-2)

Figure	Title
16-7	Ship, Wake and Natural Water Surface Patterns (Delaware Bay) (1551 R; 1800 ft; 39°25'N; 75°30'W; 1.0 by 3.3 nmi; 1-5 fathoms) (AN/AAD-2)
16-8	Natural Water Surface Patterns (Delaware Bay) (1553 R; 2000 ft; 39°25'N; 75°30'W; 1.2 by 2.5 nmi; 1-5 fathoms) (AN/AAD-2)
16-9	Natural Water Surface Patterns (Delaware Bay) (1607 R; 5000 ft; 39°15'N; 75°20'W; 3.0 by 3.5 nmi; 1-10 fathoms) (AN/AAD-2)
16-10	Natural Water Surface Patterns (Delaware Bay) (1609 R; 5000 ft; 39°10'N; 75°15'W; 3.0 by 8.0 nmi; 1-8 fathoms) (AN/AAD-2)
16-11	Ship, Wake, Charnel Buoy and Natural Water Surface Patterns (Delaware Bay) (1714 R; 5000 ft; 39°18'N; 75°21'W; 3.0 by 8.0 nmi; 10-23 fathoms) (AN/AAD-2)
16-12	Shoreline, Ships, Wakes and Natural Water Surface Patterns (Delaware Bay) (1715 R; 5000 ft; 39°21'N; 75°22'W; 3.0 by 8.0 nmi; C-7 fathoms) (AN/AAD-2)
17-1	Natural Sea Surface Patterns (1446 R; 2000 ft; 39°30'N; 74°15'W; 1.2 by 1.2 nmi; 1-10 fathoms) (AN/AAD-2)
17-2	Natural Water Surface Patterns (mouth of Delaware Bay) (1510 R; 2000 ft; 38°50'N; 75°05'W; 1.2 by 3.2 nmi; 2-25 fathoms) (AN/AAD-2)
17-3	Natural Water Surface Patterns (Delaware Bay) (1517 R; 2000 ft; 39°05'N; 75°16'W; 1.2 by 1.1 nmi; 1-10 fathoms) (AN/AAD-2)
17-4	Natural Water Surface Patterns (Delaware Bay) (1523 R; 2000 ft; 39°20'N; 75°22'W; 1.2 by 2.6 nmi; 0-3 fathoms) (AN/AAD-2)
17-5	Natural Water Surface Patterns (crossing Liston Range of Delaware Bay Main Channel) (1600 R; 2000 ft; 39°15'N; 75°19'W; 1.2 by 2.9 nmi; 1-8 fathoms) (AN/AAD-2)
17-6	Natural Sea Surface Patterns (1625 R; 1500 ft; 38°54'N; 74°50'W; 0.9 by 2.4 nmi; 1-7 fathoms) (AN/AAD-2)

	and the control of th
Figure	Title
17-7	Natural Sea Surface Fatterns (1628 R; 1500 ft; 39°00'N; 74°45'W; 0.9 by 2.3 nmi; 1-10 fathoms) (AN/AAD-2)
17-8	Natural Sea Surface Patterns (1636 R; 1500 ft; 39°17'N; 74°30'W; 0.9 by 1.7 nmi; 1-10 fathoms) (AN/AAD-2)
17-9	Natural Sea Surface Patterns (1640 R; 1500 ft; 39°27'N; 74°18'W; 0.9 by 2.2 nml; 1-10 fathoms) (AN/AAD-2)
17-10	Natural Sea Surface Patterns (1648 R; 1500 ft; 39°45'N; 74°05'W; 0.9 by 2.3 nmi; 1-10 fathoms) (AN/AAD-2)
18	Natural Sea Surface Patterns (1839 R; 1500 ft; 40°10'N; 71°58'W; 0.9 by 4.4 nmi; 34-42 fathoms) (AN/AAD-2)
19-1	Two Ship Wakes and Natural Sea Surface Patterns (1830 R; 4500 ft; 24°32'N; 83°02'W; 2.6 by 6 nmi; 13-22 fathoms) (AN/AAD-2)
19-2	Natural Sea Surface Patterns (2320 R; 2500 ft; 24°34'N; 81°50'W; 1.5 by 3.8 nmi; 0-6 fathoms) (AN/AAD-2)
20-1	Natural Sea Surface Patterns (1830 R; 4500 ft; 24°40'N; 82°45'W; 2.6 by 6.6 nmi; 0-15 fathoms) (AN/AAD-2)
20-2	Loggerhead Key and Natural Sea Surface Patterns (1833 R; 4500 ft; 24°38'N; 82°56'W; 2.6 by 6.6 nmi; 0-11 fathoms) (AN/AAD-2)
20-3	Ship Wakes and Natural Sea Surface Patterns (1836 R; 4500 ft; 24°32'N; 83°02'W; 2.6 by 6.6 nmi; 13-21 fathoms) (AN/AAD-2)
20-4	Natural Sea Surface Patterns (2155 R; 1600 ft; 24°00'N; 83°00'W; 0.9 by 2.0 nmi; 500-600 fathoms) (AN/AAD-2)
20-5	Ship Wake and Natural Sea Surface Patterns (2202 R; 1900 ft; 24°10'N; 82°40'W; 1.1 by 3.1 nmi; 300-400 fathoms) (AN/AAD-2)
20-6	Ship Wake and Natural Sea Surface Patterns (2203 R; 1900 ft; 24°11'N; 82°38'W; 1.1 by 3.2 nmi; 300-400 fathoms) (AN/AAD-2)
20-7	Natural Sea Surface Patterns (2206 R; 1900 ft; 24°15'N; 82°29'W; 1.1 by 3.0 nmi; 200-300 fathoms) (AN/AAD-2)

NADC-AW-6223

Figure	
20-8	Natural Sea Surface Patterns (2207 R; 1900 ft; 24°16'N; 82°27'W; 1.1 by 3.2 nmi; 200-300 fathoms) (AN/AAD-2)
20-9	Boca Grande Key, Woman Key, and Natural Sea Surface Patterns (2222 R; 1900 ft; 24°32'N; 82°00'W; 1.1 by 3.2 nmi; 0-4 fathoms) (AN/AAD-2)
21-1	Possible Ship Wakes and Natural Sea Surface Patterns (1921 R; 2500 ft; 40°19'N; 73°50'W; 1.5 by 4.0 nmi; 10-30 fathoms) (AN/AAD-2)
21-2	Natural Sea Surface Patterns (2116 R; 2700 ft; 40°29'N; 71°58'W; 1.6 by 4.0 nmi; 35 fathoms) (AN/AAD-2)
21-3	Natural Sea Surface Patterns (2128 R; 2600 ft; 40°28'N; 71°58'W; 1.5 by 4.0 nmi; 35 fathoms) (AN/AAD-2)
21-4	Natural Ses Surface Fatterns (2207 R; 1800 ft; 40°28'N; 71°58'W; 1.1 by 2.8 nmi; 35 fathoms) (AN/AAD-2)
21-5	Natural Sea Surface Patterns (2253 R; 1600 ft; 40°22'N; 71°57'W; 1.0 by 2.8 nmi; 35 fathoms) (AN/AAD-2)
21-6	Natural Sea Surface Fatterns (2357 R; 2800 ft; 40°20'N; 72°00'W; 1.6 by 4.0 rmi; 35 fathoms) (AN/AAD-2)
21-7	Natural Sea Surface Patterns (2402 R; 2800 ft; 40°26'N; 73°46'W; 1.6 by 4.0 nmi; 15-20 fathoms) (AN/AAD-2)
21-8	Natural Sea Surface Patterns (2404 R; 2800 ft; 1.6 by 4.5 nmi) (AN/AAD-2)
21-9	Natural Sea Surface Patterns (2112 R; 2800 ft; 1.6 by 4.2 nmi) (AN/AAD-2)
21-10	Natural Sea Surface Patterns (2422 R; 2800 ft; 40°13'N; 73°45'W; 1.6 ty 4.5 nmi; 15-20 fathoms) (AN/AAD-2)
21-11	Natural Sea Surface Patterns (2423 R; 2800 ft; 40°13'N; 73°54'W; 1.6 by 4.4 nmi; 10-15 fathoms) (AN/AAD-2)
21-12	Shoreline and Natural Sea Surface Patterns (2425 R; 2800 ft; 40°13'N; 74°00'W; 1.6 by 4.4 nmi; 0-10 fathoms) (AN/AAD-2)

COMPLETE

U. S. Navel Air Development Center, Johnsville, Pa. Anti-Submarine Wartere Laboratory

VOLUME I, ATLAS OF INFRARED SEA RACKGROUND PATTERNS 25 MARCH 1959 TO, 28 MARCH 1962 (U); by P. M. Moser and (b) (6) L Oct 1962, 76 p; Report No. NADC-AV-6423, Tusue Report, WEPTASK No. RUDC48000/2021/F001-99-02. Report: COMMODITAL

This atlas describes pictorially the ocean surface as recorded by several infrared mapping devices using a variety of infrared detecting elements during the three-year period beginning 25 March 1959. These pictures were recorded under a variety of conditions of haze, cloud cover, air and water temperatures, water depths, aircraft altitudes, latitudes, longitudes, times, and seasons. Abstract:

(b) (6)

U. S. Naval Air Development Center, Johnsville, Pa. Anti-Submarine Warfare Laboratory

VOLUME I, ATLAS OF INFRARED SEA BACKGROUND PATTERNS 25 MARCH 1962 (U); by P. M. Moser and (b) (6) i Oct 1962; 76 p; Report No. NADC-48-6223; Phase Report, WEPTASK No. RUDC48000/2021/F001-99-02. Report: WEPTASK No. RUDC48000/2021/F001-99-02.

face as recorded by several infrared mapping devices using a variety of infrared detecting elements during the three-year period beginning 25 March 1959. These pictures were recorded under a variety of conditions of haze, cloud cover, air and water temperatures, water depths, aircraft altitudes, latitudes, longitudes, times, and seasons. Abstract:

(b) (6)

GOMES DENNE AT

CONTIDENTIAL

CONT TRENTTAL

U. S. Naval Air Development Center, Johnsville, Pa. Anti-Submarine Warfare Laboratory

VOLUME I, ATLAS OF INFRARED SEA BACKGROUND PATTERNS 25 NADOR 1050 TO 28 MARCH 1962 (U): by P. M. Moser and (b) (6) I Oct 1962; 76 p: Report No. NADC-AN-6223; Prase Report, REPTASK No. RUCC48000/2021/F001-99-02. Report:

This atlas describes pictorially the ocean surface as recorded by several infrared mapping devices using a variety of infrared detecting elements during the three-year period beginning 25 March 1959. These pictures were recorded under a variety of conditions of hase, cloud cover, air and water temperatures, water depths, sircraft altitudes. Intitudes, longitudes, times, and seasons. Abstract:

I. Moser, P. N.

COMPTOENTIAL

U. S. Naval Air Development Center, Johnsville, Pa. Anti-Submarine Warfare Laboratory

VOLUME I, ATLAS OF INFRARED SEA RACKGROUND PATTERNS 25 March 1962 (U); by P. M. Moser and (D) (6) I Oct 1962; 76 p: Report No. NADC-AW-6223: Pro--- report. WEPTASK No. RUDC4B000/2021/F001-00-02. Report: WEPTASK No. RUDC4B000/2021/F001-00-02.

This atlas describes pictorially the ocean surface as recorded by several infrared mapping devices using a variety of infrared detecting elements during the three-year period beginning 25 March 1959. These pictures were recorded under a variety of conditions of hase, cloud cover, air and water temperatures, water depths, sircraft altitudes, latitudes, longitudes, times, and seasons. Abstract:

Moser, P. M.(b) (6)

CONFIDENTIAL

ONT TO ENTLAD

(b) (6)

-COVELDENTIAL

U. S. Naval Air Development Center, Johnsville, Ps. Anti-Submarine Wartare Laboratory

WOLUME I. ATLAS OF INFRARED SEA RACKGROUND PATTERNS 25 NAME 1960. TO 28 MARCH 1962 (U): by P. M. Moser and (b) (6) 1 Oct 1962; 76 p; Report No. NADC-AV-6223; preset apport, WEPTASK No. RUDC48000/2021/F001-99-02. Report: CONTINUENTIAL

This atlas describes pictorially the ocean surface as recorded by several infrared mapping devices using a variety of infrared detecting cirments during the three-year period beginning 25 March 1959. These pictures were recorded under a variety of conditions of hare, cloud cover, air and water temperatures, water depths, aircraft altitudes, iatitudes, longitudes, times, and seasons. Abstract:

1. Moser, P. M. (b) (6)

CHE PERTINL

U. S. Naval Air Development Center, Johnsville, Pa. Anti-Submarine Warfare Laboratory

VOLUME I. ATLAS OF INFRARED SEA DACKGROUND PATTERNS 25 WARCH 1962 (U); by P. M. Moser and (b) (6) oct 1962; 76 p: Report No. NADC-AW-6223: Phase Report, WEPTASK NO. RUDC48000/2021/F001-99-02. Report: WEPTASK NO. RUDC48000/2021/F001-99-02.

This atles describes pictorially the ocean surface as recorded by saveral infrared mapping devices using a variety of infrared detecting elements during the three-year period beginning 25 March 1959. These pictures were recorded under a variety of conditions of hase, cloud cover, air and water temperatures, water depths, mircraft altitudes, latitudes, longitudes, times, and seasons. Abstract:

Moser, P. M.(b) (6)

CONTIDENTIA

CONFIDENTIAL

U. S. Navel Alr Development Center, Johnsville, Pa. Anti-Submarine Warfare Laboratory

VOLUME I, ATLAS OF INFRARED SEA BACKGROUND PATTERNS 25 MADOW 1064 = 128 MARCH 1962 (U); by P. M. Moser and (b) (6) I Oct 1962; 76 p; Report No. NADC-AW-6223; Phase Report, EPTASK No. RUDC48000/2021/P001-99-02. Report: COMBERGALIA.

This atlas describes pictorially the ocean surface as recorded by several infrared mapping devices using a variety of infrared detecting elements during the three-year period beginning 25 garch 1959. These pictures were recorded under a variety of conditions of hase cloud cover, sir and water famouratures, water depths, sircraft altitudes, latitudes, longitudes, times, and sessons. Abstract:

1. Moser, P. M. (b) (6)

U. S. Naval Air Development Center, Johnsville, Pa. Anti-Submarine Warfare Laboratory

VOLUME I. ATLAS OF INFRARED SEA MACKGROUND PATTERNS 25 MARCH 1950 TO 28 MARCH 1962 (U); by P. M. Moser and (b) (6) i Oct 1962; 76 p; Report No. NADC-AR-5423; PRESE REPORT, WEPTASK NO. RUDC4B000/2021/F001-00-62. Report: GOMPASSING AL

This atlas describes pictorially the ocean surface as recorded by several infrared mapping devices using a variety of infrared detecting elements during the three-year period beginning 25 Warch 1959. These pictores were recorded under a variety of non-distinct of hole, cloud cover, sir and water comperatures, water depths, sircraft altitudes, latitudes, longitudes, times, and seasons. Abstract:

(b) (6)

COMPTODING LA

CHILDENTIAL.

gallini izrilga seli extremi ili birlinin

in the large of the of Engineering and was

73